



ImageRUNNER
ADVANCE

C5255 / C5250 / C5240 / C5235

Canon

Delighting You Always



ADVANCED MADE SIMPLE FOR YOU




Advanced Scanning


Advanced Cloud Computing

Advanced Integration To Enterprise Systems

Advanced Adobe Integrations



Business *Can* be simple



MORE POWERFUL. YET SIMPLER.



The new **imageRUNNER ADVANCE C5200 series** improves on our top-range multifunctional devices. From a simple, intuitive interface to enhanced document capabilities, the updated series is even faster than before – all without compromising on quality. Add to that cloud capability and holistic document solutions and you can see why the imageRUNNER ADVANCE series gets its name.

And that's the way your business should be. Simply advanced.



The **imageRUNNER ADVANCE C5200 series** has been designed from the onset to offer you the following:

ADVANCED
Environment Responsibility
for our future.

ADVANCED
Usability and Convenience
that is centered on you.

ADVANCED
Workflow
to suit your needs.

ADVANCED
Management
that puts you in control.

ADVANCED
Print Quality
that makes you look good.

ADVANCED
Productivity
you can count on.

ADVANCED
Security
to protect your critical documents.

ADVANCED
Scalability
that grows with you.

Find out how we have made Advanced technologies work simpler for you.



ADVANCED USABILITY AND CONVENIENCE

Meet the multifunction device that is optimized for convenience and speed - your way.

INTUITIVE USER INTERFACE



You will notice the large, full-color 8.4" high resolution TFT screen that boasts wide viewing angles and exceptional clarity. The Main Menu gives you instant access to all your system functions, letting you configure the number and size of icons, and even the wallpaper on the menu screen. You can even tailor it to suit individual or workgroup preferences. Quick Menu allows you to accomplish more in less time by streamlining complex, frequently used settings and workflows to be saved and run at the touch of a single button.



MAINTAIN YOUR PRODUCTIVITY

The imageRUNNER ADVANCE C5200 series is designed to keep your business going. Our innovative toner system allows you to change out toners even during printing. The inbuilt paper sensor is also intelligent enough to detect paper sizes accurately, reducing paper jams and misfeeds.



STEP-BY-STEP TUTORIAL

The inbuilt onscreen tutorial helps you explore the full capabilities of the imageRUNNER ADVANCE C5200 series, and enables you to learn and use more advanced functions with ease.



WALK UP CONVENIENCE

The imageRUNNER ADVANCE C5200 series comes with a USB port that lets you scan to or print* files directly from your USB drive or memory card at the device.

* Optional accessories are required for print.



ADVANCED

PRINT QUALITY

Quality prints that truly shine.



HIGH RESOLUTION BRILLIANT PRINTOUTS

1200 dpi
RESOLUTION

Combine the E-drum imagePRESS technology with a 1200x1200 dpi printing resolution, you get highly defined printouts, image consistency and high speed printing. Matched with the pQ Toner and an intelligent controller, the imageRUNNER ADVANCE C5200 series truly brings you the crispest, most vibrant color printouts.

ADVANCED imageCHIP SYSTEM ARCHITECTURE

Canon's dual processor system meets the rigorous demands of today's businesses. The image processor board works with the scanner, adjusts images and provides superior image processing. In tandem, the information processor controls the user interface and coordinates device networking and connectivity. Together, they give you better results with lesser wait.



FIERY PRINT CONTROLLERS

For an exceptionally high level of productivity and advanced color management workflow control, get the powerful Fiery print controller options - imagePASS-B2 and ColorPASS-GX400*. Both controllers are Variable Data Printing (VDP) ready and support a variety of VDP languages.

* Only for iR-ADV C5255.



Without Adobe PostScript 3

With Adobe PostScript 3

GENUINE ADOBE POSTSCRIPT 3

The imageRUNNER ADVANCED C5200 series supports Genuine Adobe PostScript 3 printing capability. This enables you to deliver the desired printout quality without worries of font incompatibility. Work seamlessly with PostScript workflow and achieve faster, higher quality printouts - not just emulations. Direct PDF printing and full support of Adobe fonts also translates to improved office productivity.



ADVANCED PRODUCTIVITY

Advanced technology becomes simple with the Canon imageRUNNER ADVANCE. Simply add the modular units you need to further extend the functions of your device.

4-LINE FAX


Add on Super G3 fax functionality for high-speed fax transactions. The 4-line fax feature is capable of handling large volumes of fax documents, while ensuring lesser busy signals and greater connectivity. You can also save cost and space by installing the optional Remote Fax Kit that lets you fax through other fax-capable imageRUNNER ADVANCE devices in the network, even if the one you are using does not have a fax-board installed.

HIGH SPEED SCANNING

Canon's revolutionary Duplex Color Image Reader features a proprietary image sensor that allows you to create 100 to 150 crystal-clear reproductions of black & white and color documents each time you press the button.

PROFESSIONAL LOOKING DOCUMENTS

Impress your business associates and colleagues alike with professional-grade documents. Select the settings you want, ranging from automatic stapling, punching, collation and even booklet creation function. For a compact footprint, internal stapling and collating units are also available as options.



ADVANCED WORKFLOW

The Canon imageRUNNER ADVANCE series is designed to streamline workflow and meet each user's needs. You can easily send, save, store, and access scanned documents in multiple locations. Simply select a destination and scan the original. With the imageRUNNER ADVANCE series, you will find the most advanced, yet simple workflow.

SCAN AND SEND

In one simple operation, you can distribute scanned documents to multiple destinations, such as email, fax destinations and network folders. The wide range of formats* includes standard High Compression PDF, Adobe PDF Reader Extensions, Searchable PDF, Encrypted PDF, XPS, and even the latest Office Open XML for Word and PowerPoint.

* Installation of optional accessories may be required.



STORE AND ACCESS

The imageRUNNER ADVANCE comes with a document sharing solution simply makes sense. Using the Advanced Box, multiple users can share any file format on a share folder and access files from PCs or other networked imageRUNNER ADVANCE systems. For more sensitive documents, you can use Personal Folders. The Mailbox feature also lets you access the stored documents from the device or remote user interface, with up to 100 user accounts.



MOBILE PRINTING AND SCANNING

For users on the go, the versatile imageRUNNER ADVANCE C5200 provides simple mobile print functionality with features to help mobile device users print jobs from their devices. It supports a wide variety of formats including image, photo, PDF files and web pages.

Mobile users can also use the Canon Mobile Scanning for Business to scan and save data on their mobile devices, upload it to cloud storage services and send it as e-mail attachments to themselves.

* Canon Mobile Printing and Canon Mobile Scanning apps may be downloaded on Apple or Android devices.



ADVANCED MANAGEMENT AND SECURITY

Be in control, wherever you are. The imageRUNNER ADVANCE makes it easy to monitor and optimize your company's output.

CENTRALIZED REMOTE CONTROL

The Remote User Interface lets IT managers and system administrators control, track, and manage each output device without having to travel to each and every machine for status checks.

eMAINTENANCE

Take control of your Canon device fleet and reduce administration burdens with eMaintenance*. With less downtime and easy maintenance, you will have longer uptime and greater productivity.

** Compatible with most Canon copiers, printers and multifunctional devices. For more information on what models are supported, please contact Canon.*


ACCESS MANAGEMENT SYSTEM KIT

By utilizing the Access Management System Kit, administrators can restrict the functions that each individual, workgroup or department is allowed to use. Together with the contactless Card Authentication unit to identify the actual user, you will enjoy higher levels of security and reduced wastage from unauthorized prints.




ADVANCED SOLUTIONS

To achieve even more with the imageRUNNER ADVANCE system, select the document solution that best meets your organizational needs.



THEREFORE

Therefore is a holistic document management system that offers an easy-to-implement storage and retrieval system to give every staff instant, secure access to all information.



eCOPY PDF PRO OFFICE

eCopy® PDF Pro Office, the latest enterprise-ready PDF solution from Nuance, is the smarter PDF desktop software companion to Canon MFDs. This powerful, easy-to-use PDF solution lets you create, convert, and collaborate for increased productivity and cost savings.




eCOPY SHARESCAN SUITE

eCopy® ShareScan Suite transforms paper-based data safely and directly into electronic workflows. From the imageRUNNER ADVANCE device, you can scan, extract, classify, index and convert paper information into digital information that flows effortlessly into and through the electronic channels of your business.

iW SECURE AUDIT MANAGER EXPRESS

This software enables document distribution oversight and safeguards against potential information espionage or abuse by logging text and image data whenever users utilize the device.



01 On-device imageRUNNER Agent captures log and image data

02 Info is sent to Express server for OCR; image and text exported

03 Express Audit Tools allows compilation and extraction of key info



iW ACCOUNTING MANAGER FOR MEAP

Track your organization's print consumption through detailed and vital information of how your devices are actually used, all without the need for additional manpower or equipment.



uniFLOW

uniFLOW is designed to save you time and money by providing effective controls over your entire print and multi-functional device fleet. The uniFLOW solution can be built from several different components depending on your needs.

ADVANCED RESPONSIBILITY

Much of the above features are geared towards efficiency and waste reduction. At Canon, we believe in doing our part for the environment.



Here are some highlights:



Green technologies makes up the imageRUNNER ADVANCE. Our pQ toner lowers energy consumption by minimizing heat and power requirements. Our RAPID fusing technology saves 75% more power usage than previous models. The list goes on.

imageRUNNER ADVANCE uses 100% recycled plastic from past products. In addition, we subject ourselves to the most stringent standards, restricting the use of 24 hazardous substances (where EU RoHS directives restrict only six).

Changing our behavior to change our environment. By encouraging digital previews, we reduce unnecessary prints and reduce mistakes. Administrators can also help encourage use of duplex settings and control color usage easily.

Higher efficiency means lower emissions. By optimizing the document life cycle, we have lowered CO₂ emissions by more than 30% over previous models.

MAKE IT ADVANCE.

Witness the significant improvement in your business communication capabilities. Move your business forward with the new imageRUNNER ADVANCE C5200 series today.

To arrange for a demonstration, simply contact any of our sales staff in the relevant contact overleaf.

SPECIFICATIONS imageRUNNER ADVANCE C5200 Series

Type	Reader-Printer Separated, Desktop	
Maximum Original Size	A3	
Copy Sizes	Cassette	305 x 457mm, A3, A4, A4R, A5R, B4, B5, B5R Custom Size 139.7 x 182mm to 304.8 x 457.2mm Optional Envelope Feeder, No.10 (COM10), Monarch, DL, ISO-C5
	Stack Bypass	A5R - SRA3 (320 x 450mm), Envelopes Custom Size 99 x 140mm to 320 x 457mm
Resolution	Reading	600dpi x 600dpi
	Copying	600dpi x 600dpi
	Printing	1200dpi x 1200dpi (text/line only)
Copy/Print Speed	A4 (B&W/Color)	C5255: 55/51ppm
		C5250: 50/45ppm
		C5240: 40/35ppm
	A3 (B&W/Color)	C5235: 35/30ppm
		C5255: 28/26ppm
		C5250: 28/26ppm
Magnification	Zoom	25-400%
	First Copy Time	Black & White 3.9sec (C5255/C5250), 5.4sec (C5240/C5235) Full Color 6.0sec (C5255/C5250), 8.1sec (C5240/C5235)
Warm-Up Time	31 seconds	
Multiple Copies/Prints	1 to 999 sheets	
Duplexing	Standard automatic stackless	
Paper Weight	Cassette	52 to 220gsm
	Stack Bypass	52 to 256gsm
Paper Capacity	Standard	550 sheets x2 cassettes (80gsm) Stack Bypass: 100 sheets (80gsm)
	Optional	550 sheets x2 cassettes (80gsm)
	Paper Deck	2,700 sheets (80gsm)
	Total Capacity	5,000 sheets
CPU	1.66GHz	
Memory	Standard: 2GB RAM/Maximum: 2.5GB RAM	
Hard Disk Drive	Standard 160GB/Optional 1TB	
Interface Ethernet	(1000Base-T/100Base-TX/10Base-T)	
Power Supply	220-240V AC, 50/60Hz	
Power Consumption	1.8kW max (C5255/C5250), 1.3kW max (C5240/C5235)	
Dimensions (W x D x H)	Only the Main Unit: 620mm x 700mm x 800mm	
	With the Duplex Color Image Reader Unit-E1: 620mm x 715mm x 950mm	
	With the Color Image Reader Unit-F1: 620mm x 712mm x 931mm	
	With the Color Image Reader Unit-F2: 620mm x 700mm x 831mm	
Weight	Only the Main Unit: Approximately 139kg	
	With the Duplex Color Image Reader Unit-E1: Approx. 153kg	
	With the Color Image Reader Unit-F1: Approx. 148kg	
	With the Color Image Reader Unit-F2: Approx. 144kg	
Print Specification		
PDL	UFR II (Standard), PCL 5c/6 (Optional), Adobe PostScript 3 (Optional)	
Resolution	1200dpi x 1200dpi (Text/Line only), 600dpi x 600dpi	
Supported OS	PCL	Windows 8.1/8.7/Vista/XP/Windows Server 2003/ Server 2008/Server 2012
	Adobe PostScript 3	Windows 8.1/8.7/Vista/XP/Windows Server 2003/ Server 2008/Server 2012, Mac OS X 10.5 or later
	UFR II	Windows 8.1/8.7/Vista/XP/Windows Server 2003/ Server 2008/Server 2012, Mac OS X 10.5 or later
Mac-PPD	Mac OS 9 (9.1 or later), Mac OS X (10.3.9 or later)	
Interface	Ethernet (1000Base-T/100Base-TX/10Base-T)	
Network Protocol	TCP/IP (LPD/Port9100/WSD/IPP/PPS/SMB/FTP), IPv6, IPX/SPX (NDS, Bindery), AppleTalk	
Pull Scan	Network TWAIN Driver (75 to 600dpi 24bit Color/8bit Grayscale/2bit Black & White)	
Send Specification (Standard)		
Scan Resolution	100 x 100dpi, 150 x 150dpi, 200 x 100dpi, 200 x 200dpi, 200 x 400dpi, 300 x 300dpi, 400 x 400dpi, 600 x 600dpi	
Destinations	E-Mail/Internet FAX (SMTP), PC (SMB, FTP), iWDM, WebDAV	
Address Book	LDAP, Local (Max.1800)	
File Format	TIFF, JPEG, PDF, XPS, High compression PDF/XPS, PDF/A-1b, Optimize PDF for Web	
Optional Accessories		
Universal Send Advanced Feature Set-D1		
File Format	Outline PDF (Trace & Smooth), Searchable PDF/XPS, Reader Extensions PDF, Office Open XML for Word and PowerPoint	
Universal Send Security Feature Set-D1		
File Format	Encrypted PDF, Device Signature PDF/XPS	

Optional Image Readers		
Duplex Color Image Reader Unit-E1 (1PDS)		
Paper Size	A3, B4, A4, A4R, B5, B5R, A5, A5R, and B6R	
Paper Weight	Single sided original	42 to 157gsm
	Double sided original	50 to 157gsm
Original Tray Capacity	150 sheets (80gsm)	
Document Scanning Speed	Copying	1-sided scanning: 75 sheets/minute (A4 in Black & White at 600dpi) 2-sided scanning: 37.5 sheets/minute (A4 in Black & White at 600dpi)
	Scanning	1-sided scanning: 51 sheets/minute (A4 in Full Color at 600dpi) 2-sided scanning: 25.5 sheets/minute (A4 in Full Color at 600dpi)
Dimensions (H x W x D)	565mm x 530mm x 155mm (feeder and reader)	
	Weight	Approx. 14.1kg (feeder and reader)
Color Image Reader Unit-F1 (2-sided Double pass ADF)		
Paper Size	A3, B4, A4, A4R, B5, B5R, A5, A5R, and B6	
Paper Weight	Single sided original	42 to 157gsm
	Double sided original	50 to 157gsm
Max. Number of Originals	100 sheets (80gsm)	
Document Scanning Speed	Copying	1-sided scanning: 46 sheets/minute (A4 in Black & White/Full Color at 600dpi)
	Scanning	1-sided scanning: 51 sheets/minute (A4 in Black & White/Full Color at 300dpi)
Dimensions (W x D x H)	565mm x 540mm x 137mm (feeder and reader)	
	Weight	Approx. 7.5kg (feeder and reader)
Cassette Feeding Unit-AD2		
Type	2 Front-loading adjustable drawers	
Paper Size	305mm x 457mm, A3, B4, A4, A4R, B5, B5R, A5R, and Custom size (139.7mm x 182mm to 304.8mm x 457.2mm)	
Paper Capacity	550 sheets (80gsm) x 2 cassettes	
Dimensions (W x D x H)	620mm x 700mm x 251mm	
Weight	Approx. 28 kg	
Paper Deck Unit-B2		
Paper Size	A4	
Paper Capacity	2,700 sheets (80gsm)	
Dimensions (W x D x H)	372mm x 603mm x 473mm	
Weight	Approx. 37kg	
Inner Finisher-E1		
Number of Trays	One stack tray (Optional 2 nd Tray)	
Tray Capacity	A4, A5, A5R	500 sheets
	A3, A4R	500 sheets
Staple Position	Corner, Double	
Staple Capacity	A4	50 sheets
	A3	30 sheets
Dimensions (W x D x H)	865mm x 540mm x 234mm	
Weight	Approx. 11.5kg (Approx.13kg with optional tray)	
Staple Finisher-J1		
Number of Trays	2 Trays	
Tray Capacity	A4, A5, A5R	1300 on upper tray, 1700 on lower tray
	A3, A4R	650 on upper tray, 650 on lower tray
Staple Position	Corner, Double	
Staple Capacity	A4	50 sheets (80gsm)
	A3, A4R	30 sheets (80gsm)
Dimensions (W x D x H)	677mm x 646mm x 1,097mm	
Weight	Approx. 46kg	
Booklet Finisher-J1		
Number of Trays	2 Trays	
Tray Capacity	A4, A5, A5R	1300 on upper tray, 1700 on lower tray
	A3, A4R	650 on upper tray, 650 on lower tray
Staple Position	Corner, Double, Booklet stitch	
Staple Capacity	A4	50 sheets (80gsm)
	A3, A4R	30 sheets (80gsm)
Booklet Stitch Specifications	Paper Size	A3, B4, and A4R
Max Saddle Stitch Capacity	16 sheets (64 pages, 52-81gsm)	
Dimensions (H x W x D)	789mm x 646mm x 1,097mm	
Weight	Approx. 75kg	
Other Optional Accessories		
Color Image Reader-F2, Platen Cover Type 5, iR-ADV series Pedestal A, Paper Deck Unit-B2 A4, Tab Feeding Attachment Kit-B1, Envelope Feeder Attachment-D1, Copy Tray Unit-I1, Utility Tray-A2, Inner 2way Tray-F1, Inner Finisher Additional Tray-A1, Buffer Pass Unit-G1, External 2 Hole Puncher-B2, Copy Card Reader-F1, Copy Card Reader Attachment-B3, Copy Control Interface Kit-A1, Serial Interface Kit-K1, FL Cassette-AG1, FL Cassette-AH1, Stamp Ink Cartridge-C1, Staple Cartridge-J1, Staple Cartridge-D2, Staple Cartridge-D3, Cassette Heater Unit-37, Paper Deck Heater Unit-C1, Reader Heater-J1, PCL Printer Kit-AR1, PCL Font Set-A1, EFIGS, PS Printer Kit-AR1, Direct Print Kit (for PDF)-H1, Direct Print Kit (for XPS)-H1, Barcode Printing Kit-D1, imagePASS-B2, ColorPASS-GX400, SeeQuence Compose, SeeQuence Impose, SeeQuence Suite, GA Productivity Package, Super G3 Fax Board-AE2, Super G3 2nd Line Fax Board-AE1, Super G3 3 rd /4 th Line Fax Board-AE1, Remote Fax Kit-A1, 512MB RAM Type D, Web Access Software-H1, USB Device Port-E1, USB Device Port-E2, Multimedia Reader/Writer-A2, Universal Send Digital User Signature Kit-C1, Encrypted Printing Software-D1, Secure Watermark-B1, Document Scan Lock Kit-B1, Access Management System Kit-B1, Key Switch Unit-A2, 2.5INCH/160GB HDD-G1, 2.5INCH/1TB HDD-H1, Removable HDD Kit-AC1, HDD Data Encryption & Mirroring Kit-C1, HDD Mirroring Kit-D2, iR-ADV Security Kit-C1, Access Management System Kit-B1, ADF Access Handle-A1, Remote Operators Software Kit-B1, Voice Guidance-F2, Voice Operation Kit-C2		

This brochure and the specifications of the product have been developed prior to the date of product launch. These specifications are subject to change without notice. Therefore no representations or warranties, either express or implied, are made of the fitness of this product for a particular purpose. In no circumstances shall the information in this brochure be considered part of our terms and conditions of sale. You are advised to check the prevailing specification immediately prior to purchase. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.






Managed Document Services



iR ADVANCE Features



Cloud Computing

To integrate more capabilities into your imageRUNNER ADVANCE device, simply speak with your friendly Canon representative.



Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd.

1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632

Tel: +65-6799 8888 | Fax: +65-6799 8882 | www.canon-asia.com | www.canon.com.sg

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan:

Megaplus Afghanistan Limited
House No. 233, Street No. 4, Charagh Ali, Qilla-e-Fatehullah, Kabul, Afghanistan
Tel: 93-700 228 832 / 93-700 979 511 | Fax: 93-202 201 259
Email: info@megaplus.com.af

Bangladesh:

Flora Limited
Adamjee Court Annex-2 (4th Floor), 119-120 Motijheel Commercial Area
Dhaka 1000 Bangladesh
Tel: 880-2-716-2742-46 / 225 | Fax: 880-2-955-0030 | www.floralimited.com

Brunei:

Interhouse Company
No. 5-7 Bunut Jaya Complex, Spg 574 Jalan Tutong BF1320,
P.O. Box 423, Seri Complex, Bandar Seri Begawan BA 1779, Brunei Darussalam
Tel: 673-2-653-001 | Fax: 673-2-653-003

Cambodia:

Royal Cambodia Co., Ltd
#437 Preah Monivong Blvd, Phnom Penh, Kingdom of Cambodia
Tel: 855-23-428955 | Fax: 855-23-722961

Hong Kong:

Canon Hongkong Co. Ltd
19F, The Metropolis Tower, 10 Metropolis Drive, Hunghom, Hong Kong
Tel: 852-3191-2388 | Fax: 852-2369-3800 | www.canon.com.hk

India:

Canon India Private Limited
7th Floor, Tower B, Building #5, DLF Cyber Terraces, DLF Phase-3
Gurgaon - 122002, Haryana, India
Tel: 91-124-416 0000 | Fax: 91-124-416 0011 | www.canon.co.in

Indonesia:

PT Samafitro
Jalan Ir. H Juanda No.8, Jakarta 10120, Indonesia
Tel: 62-21-345 8989 | Fax: 62-21-345 6699 | www.samafitro.co.id

Malaysia:

Canon Marketing (Malaysia) Sdn Bhd
Block D, Peremba Square, Saujana Resort Section U2, 40150 Shah Alam,
Selangor Darul Ehsan, Malaysia
Tel: 60-3-7844 6000 / 7845 0055 | Fax: 60-3-7844 6196 / 6198
www.canon.com.my

Maldives:

Simdi Company Pvt Ltd.
G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives
Tel: 960-333 4421 | Fax: 960-333 4424

Myanmar:

Myanmar Golden Rock International Co., Ltd
No. 79-D, Bo Chein Street, Pyay Road, 6 1/2 Mile, Hlaing Township, Yangon, Myanmar
Tel: 95-1-654810 to 19 (10 Lines), 95-1-654844 to 48 (5 Lines)
Fax: 95-1-654820 | Email: sales@mgr.com.mm

Nepal:

International Electronics Concern (P) Ltd
Kha 14, 1st Floor, Haratibhawan Putalisadak, Ramshah Path,
Kathmandu, Nepal, P.O. Box 12588
Tel: 977-1-442 1991 | Fax: 977-1-442 1909

Pakistan:

Shirazi Trading Company (Pvt) Ltd
8th Floor, Adamjee House, I.I. Chundrigar Road, Karachi 74000 Pakistan
Tel: 92-21-3241 (7659), (7737) or (7746) | Fax: 92-21-(3241 7747),
(3242 0417) or (3242 0418) | www.shirazitrading.com.pk

Philippines:

Canon Marketing (Philippines), Inc.
Ground Floor Commerce and Industry Plaza. Campus Ave. Cor. Park Ave.,
McKinley Hill, Fort Bonifacio, Taguig City
Tel: 632-884-9000 | Fax: 632-556-1456 | www.canon.com.ph

Sri Lanka:

Metropolitan Office (Pvt) Ltd
12, Magazine Road Colombo 08, Sri Lanka
Tel: 94-11-470 0200 | Fax: 94-11-470 0267 | www.metropolitan.lk

Taiwan:

Canon Marketing (Taiwan) Co. Ltd
19F, No. 100, Sec.2 Roosevelt Road, Taipei, Taiwan, R.O.C.
Tel: +886 2-6632-8888 | Fax: +886-2-6632-6700 | www.canon.com.tw

Thailand:

Canon Marketing (Thailand) Co. Ltd
No.98 Sathorn Square Office Tower, 21st - 24th floor,
North Sathorn Road, Silom, Bangrak, Bangkok 10500
Tel: 66-2-344 9999 | Fax: 66-2-344 9960 | www.canon.co.th

Vietnam:

Canon Marketing (Vietnam) Co. Ltd
Level 10, President Place, 93 Nguyen Du, Dist 1, Ho Chi Minh City, Vietnam
Tel: 84-8-3820 0466 | Fax: 84-8-3820 0477 | www.canon.com.vn

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon multifunction and single function printers. Other names may be the trademarks of their respective owners.

uniFLOW, eCopy and Therefore are independent party software distributed by Canon Singapore Pte Ltd.